

Page: 1

Compilation date: 01/08/2012

**Revision date: 11/05/2015** 

Revision No: 9

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: 2WORK GLASS/WINDOW CLEANER SPRAY

Product code: 2W03982

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

# 1.3. Details of the supplier of the safety data sheet

Company name: INTERACTION-CONNECT SA

54 BLVD NAPOLEON IER L-2210 LUXEMBOURG

Tel: +33 93808248

Email: WWW.OPINFO.NET

# 1.4. Emergency telephone number

Emergency tel: NHS Direct 08454647

NHS24 0845242424

ROI 018092166

(office hours only)

# **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

## 2.2. Label elements

# Label elements:

Precautionary statements: P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

#### 2WORK GLASS/WINDOW CLEANER SPRAY

Page: 2

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

# **Hazardous ingredients:**

#### 3 - BUTOXYPROPAN - 2 - OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
225-878-4	005131-66-8	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-10%
ETHANOL				
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	1-10%
PROPAN-2-OL				
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	1-10%

#### Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Rinse skin with water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. If conscious, give half a litre of water to drink immediately.

Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

# **Section 5: Fire-fighting measures**

# 5.1. Extinguishing media

Extinguishing media: Water.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide.

#### 2WORK GLASS/WINDOW CLEANER SPRAY

Page: 3

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up

to prevent the escape of liquid.

# 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a suitable container.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Do not handle in a confined space.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed.Suitable packaging: Stainless steel. Polyethylene.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

# Hazardous ingredients:

# Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1920 mg/m3	-	1	-

Respirable dust

# PROPAN-2-OL

**ETHANOL** 

UK	999 ma/m3	1250 ma/m3	-	-

# **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 2WORK GLASS/WINDOW CLEANER SPRAY

Page: 4

# 8.2. Exposure controls

**Respiratory protection:** Respiratory protection not required.

# Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Liquid
Colour: Blue

Odour: Characteristic odour

**Evaporation rate:** Moderate

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Boiling point/range°C: 99 Melting point/range°C: -1

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable. Vapour pressure: Not applicable.

Relative density: 0.992 pH: 7

VOC g/I: 96

# 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

# 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

### 10.4. Conditions to avoid

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

#### 2WORK GLASS/WINDOW CLEANER SPRAY

Page: 5

# **Hazardous ingredients:**

#### 3 - BUTOXYPROPAN - 2 - OL

ORAL	RAT	LD50	2700	mg/kg
------	-----	------	------	-------

#### **ETHANOL**

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

#### **PROPAN-2-OL**

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

Toxicity values: No data available.

# Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

# **Section 12: Ecological information**

# 12.1. Toxicity

# **Hazardous ingredients:**

# 3 - BUTOXYPROPAN - 2 - OL

-	48H EC50	>1000	mg/l
GUPPIES	96H LC50	560-1000	mg/l

# 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Soluble in water.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 2WORK GLASS/WINDOW CLEANER SPRAY

Page: 6

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

#### **Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

#### **Section 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by

the supplier.

### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EC) No

1272/2008.

This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Legend to abbreviations: PNEC = predicted no effect concentration

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

# 2WORK GLASS/WINDOW CLEANER SPRAY

Page: 7

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

OPT = optical

INH = inhalation

PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.