

2WORK ALCOHOL HAND SANITISER

Page: 1

Compilation date: 01/08/2008

Revision date: 11/05/2015

Revision No: 6

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 2WORK ALCOHOL HAND SANITISER

Product code: 2W22906

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC39: Cosmetics, personal care products.

1.3. Details of the supplier of the safety data sheet

Company name: INTERACTION-CONNECT SA 54 BLVD NAPOLEON IER L-2210 LUXEMBOURG

Tel: +32 93808248

Email: WWW.OPINFO.NET

1.4. Emergency telephone number

Emergency tel: NHS Direct 08454647

NHS24 0845242424

ROI 018092166

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Flam. Liq. 2: H225; STOT SE 3: H336

Most important adverse effects: Highly flammable liquid and vapour. May cause drowsiness or dizziness.

2.2. Label elements

Label elements:

Hazard statements: H225: Highly flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

Signal words: Danger

2WORK ALCOHOL HAND SANITISER

Hazard pictograms: GHS02: Flame GHS07: Exclamation mark Precautionary statements: P102: Keep out of reach of children. P233: Keep container tightly closed. P210: Keep away from open flames. - No smoking. P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTRE or doctor if you feel unwell. P370+378: In case of fire: Use water for extinction.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	30-50%

PROPAN-2-OL

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	10-30%
			STOT SE 3: H336	

2-PHENOXYETHANOL

204-589-7 122-99-6 - Acute Tox. 4: H302; Eye Irrit. 2: H319 <1%

Contains: Aqua, Alcohol, Propan-2-ol, PPG-5 Ceteth-20, Phenoxyethanol, Acrylates/C10-30 Alkyl

Acrylate Crosspolymer, Triethanolamine.

Section 4: First aid measures

4.1. Description of first aid measures

- Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
 - Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position.

Transfer to hospital as soon as possible.



2WORK ALCOHOL HAND SANITISER

Page: 3

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the

recovery position. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No symptoms.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Drowsiness or mental confusion may occur.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water. Water spray. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes of carbon dioxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of

ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Mix with sand or vermiculite.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed. Store in cool, well ventilated area.

Suitable packaging: Polyethylene. Stainless steel.

2WORK ALCOHOL HAND SANITISER

Page: 4

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ETHANOL

Workplace exposure limits	:	Respirable dust				
State 8 hour	TWA	15 min. STEL	8 hour TWA	15 min. STEL		
UK	1920 mg/m3	-	-	-		
PROPAN-2-OL						
UK	999 mg/m3	1250 mg/m3	-	-		
2-PHENOXYETHANOL			· · · · ·			
UK	110 mg/m3	110 mg/m3	-	-		
DNEL/PNEC Values						
	C No data av	vailable				
8.2. Exposure controls						
		ere is sufficient ventilation of	the area.			
Respiratory protection	: Respirator	y protection not required.				
ection 9: Physical and cher	nical proper	ties				
9.1. Information on basic phy	sical and ch	emical properties				
State	: Liquid					
Colou	: Colourless	i				
Odou	: Characteri	stic odour				
Evaporation rate	: Fast					
Oxidising	I: Non-oxidis	ing (by EC criteria)				
Solubility in wate	: Soluble					
Also soluble ir	: Ethanol.					
Viscosit	: Viscous					
Boiling point/range°C	: 78		Melting point/range°C:	-23		
Flammability limits %: lowe	: 2		upper:	12		
Flash point°C			Part.coeff. n-octanol/water:			
Autoflammability°	: 425		Vapour pressure:			
Relative density				6.5 - 8.0		
VOC g/						

2WORK ALCOHOL HAND SANITISER

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Sources of ignition.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ETHANOL

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

2-PHENOXYETHANOL

ORL	MUS	LD50	933	mg/kg
ORL	RAT	LD50	1260	mg/kg
SKN	RAT	LD50	14422	mg/kg

Toxicity values: No data available.

2WORK ALCOHOL HAND SANITISER

Page: 6

Symptoms / routes of exposure Skin contact: No symptoms. Eye contact: There may be irritation and redness. Ingestion: There may be soreness and redness of the mouth and throat. Inhalation: Drowsiness or mental confusion may occur.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Volatile. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1987

14.2. UN proper shipping name

Shipping name: ALCOHOLS, N.O.S.

(PROPAN-2-OL)

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: ||

2WORK ALCOHOL HAND SANITISER

Page: 7

Marine pollutant: No

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by

the supplier.

Section 16: Other information

Other information

Other information		
Other information:	250ml; Limited quantity for ADR	
	300ml; Limited quantity for ADR	
	1 Ltr Limited quantity for ADR	
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.	
	H302: Harmful if swallowed.	
	H319: Causes serious eye irritation.	
	H336: May cause drowsiness or dizziness.	
Legend to abbreviations:	PNEC = predicted no effect concentration	
	DNEL = derived no effect level	
	LD50 = median lethal dose	
	LC50 = median lethal concentration	
	EC50 = median effective concentration	
	IC50 = median inhibitory concentration	
	dw = dry weight	
	bw = body weight	
	cc = closed cup	
	oc = open cup	
	MUS = mouse	
	GPG = guinea pig	
	RBT = rabbit	
	HAM = hamster	
	HMN = human	
	MAM = mammal	
	PGN = pigeon	
	[con	ıt1

2WORK ALCOHOL HAND SANITISER

IVN = intravenous SCU = subcutaneous SKN = skin DRM = dermal OCC = ocular/corneal OPT = optical INH = inhalation PCP = physico-chemical properties Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting

from handling or from contact with the above product.

Page: 8