

In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010



Product: 2Work Probe Wipes

Version: Version 3 Date: 23/03/2015 Supersedes: Version 2: dated 01/07/2014 Page: 1 of 11

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier 2W24703 - 2Work Probe Wipes

Other means of identification ETPW200

ETPW200MT

12 Relevant identified uses of the substance or mixture and uses advised against

Uses: A wet wipe for use in all food preparation areas for the wiping of food probes.

Not to be used for:

13 Details of the supplier of the Safety Data Sheet

Company Name: EcoTech (Europe) Limited

Address: EcoTech House

Falkland Close

Charter Avenue Industrial Estate

Coventry West Midlands CV4 8AU United Kingdom

Telephone: +44 (0)24 7647 1894

Fax: +44 (0)24 7647 4743

E-mail: sales@ecotech-europe.com

Web Site www.ecotech-europe.com

14 Emergency telephone

number

Telephone: National Poisons Information Service (UK) +44 (0)844 8920111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

- 67/548/EEC F; R11 Xi; R36 R67



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: **Probe Wipes**

Version: Version 3 Date: 23/03/2015 Supersedes: Version 2: dated 01/07/2014 2 of 11 Page:

Symbols: F: Highly flammable. Xi: Irritant.

Main hazards. Highly flammable. Irritating to eyes.

- EC 1272/2008 Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

2.2 Label elements



Signal Word Danger

Hazard Statement Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Eye Irrit. 2: H319 - May cause eye irritation.

Precautionary Statement:

Prevention

P102 - Keep out of reach of children.

P103 - Read label before use.

P233 - Keep container tightly closed.

Precautionary Statement: Response

P101 - If medical advice is needed, have product container or label at hand.

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor / physician if

vou feel unwell.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor / physician if you feel unwell. P337+P313 - If eye irritation persists: Get medical advice / attention.



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Probe Wipes

Version: Version 3 Date: 23/03/2015 Supersedes: Version 2: dated 01/07/2014 Page: 3 of 11

P370+P378 - In case of fire: Use extinguishing media appropriate to the

surrounding fire conditions. Alcohol resistant foam, Carbon dioxide (CO2) for

extinction.

Precautionary Statement:

Storage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

Precautionary Statement:

Disposal

P501 - Dispose of contents / container to a licensed waste disposal company in

compliance with local and national regulations.

2.3 Other hazards This product does not contain any PBT or VPvB substances.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		60 - 70%	F; R11 Xi; R36 R67

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		60 - 70%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336:

3.2 Mixtures See section 3.1 for further information.

Further information For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Inhalation is highly unlikely due to liquid impregnated on a fabric substrate,

therefore considered to be not hazardous by inhalation. IF INHALED: Remove



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Probe Wipes

Version: Version 3 Date: 23/03/2015 Supersedes: Version 2: dated 01/07/2014 Page: 4 of 11

victim to fresh air and keep at rest in a position comfortable for breathing. Seek

medical attention if irritation or symptoms persist.

Eye contact Eye contact is unlikely due to liquid impregnated on a fabric substrate. Remove the

affected person from the source of contamination immediately. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical

attention.

Skin contact No irritating of the skin expected.

Seek medical attention if irritation or symptoms persist.

Ingestion Ingestion is highly unlikely due to liquid impregnated on a fabric substrate. Rinse

mouth thoroughly. DO NOT INDUCE VOMITING. Seek medical attention if

irritation or symptoms persist.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation Vapours may cause drowsiness and dizziness.

Eye contact May cause eye irritation.

Skin contact No specific symptoms noted.

Ingestion No specific symptoms noted.

4.3 Indication of any immediate

medical attention and special treatment needed

diate If you feel unwell, seek medical advice (show the label where possible). No and specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media This product is flammable. Use extinguishing media appropriate to the surrounding

fire conditions.

5.2 Special hazards arising from

the substance or mixture

In the event of a large fire toxic fumes containing oxides of carbon may be formed, which would necessitate the use of a self-contained breathing apparatus. Vapour

may travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters Wear protective gloves / protective clothing / eye protection / face protection.

Wear suitable respiratory equipment when necessary. Avoid breathing dust / fume / gas / mist / vapours / spray. Ground / bond container and receiving equipment. Keep away from heat / sparks / open flames / hot surfaces. — No smoking. Keep container tightly closed. Take precautionary measures against static discharge. Use explosion-proof electrical / ventilating / lighting / equipment. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Wear protective

gloves / protective clothing / eye protection / face protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Probe Wipes

Version: Version 3 Date: 23/03/2015 Supersedes: Version 2: dated 01/07/2014 Page: 5 of 11

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact of the fluid with the eyes.

Environmental precautions Large spillages are highly unlikely due to liquid impregnated on a fabric substrate.

Advise local authorities if large spills cannot be contained. Do not allow product to

enter drains. Do not flush into surface water. Prevent further spillage if safe.

6.3 Methods and material for Large spillages are highly unlikely due to liquid impregnated on a fabric substrate

containment and cleaning up Absorb with inert, absorbent material. Transfer to suitable, labelled containers for

disposal. Clean spillage area thoroughly with plenty of water.

Reference to other sections For recommended personal protective equipment see Section 8. For disposal see

Section 13.

SECTION 7: HANDELING AND STORAGE

7.1 Precautions for safe handling

Adopt best Manual Handling considerations when handling,

carrying and dispensing.

7.2 Conditions for safe storage,

including any

incompatibilities

Keep out of the reach of children. Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Do NOT allow to

freeze.

7.3 Specific end use No relevant information required

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters The product is impregnated onto a fabric substrate so free liquid will not be available

and exposure significantly mitigated.



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: **Probe Wipes**

Version: Version 3 Date: 23/03/2015 6 of 11 Page:

Supersedes: Version 2: dated 01/07/2014

8.1.1 **Exposure Limit Values**

> WEL 8-hr limit ppm: 400 WEL 8-hr limit mg/m3: 999 Isopropanol (Propan-2-ol) WEL 15 min limit mg/m3: 1250 WEL 15 min limit ppm: 500

> Methanol WEL 8-hr limit ppm: 200 WEL 8-hr limit mg/m3: 266

WEL 15 min limit ppm: 250 WEL 15 min limit mg/m3: 333

8.2 **Exposure controls**

8.2.1 **Appropriate** engineering None

Controls

8.2.2 Individual protection None

measures

8.2.3 **Environmental** Do not empty into drains. Do not flush into surface water. Prevent further spillage

exposure controls if safe.

8.2.3. Further information Information valid at the time of review of safety data sheet.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

> Blue or white nonwoven fabric impregnated with a colourless solution. Appearance:

Odour: Unfragranced but characteristic alcoholic odour. b

Odour threshold: Not available.

Not available. d

Melting point / freezing point: Not available.

f Initial boiling point Not available. and



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Probe Wipes

Version 3 Version: Date: 23/03/2015 7 of 11

Supersedes: Version 2: dated 01/07/2014 Page:

boiling range:

18°C Flash point:

Evaporation rate: Not available.

Flammability (solid, gas): Not applicable.

Upper / lower flammability or

explosive limits:

Not available.

Not available. Vapour pressure:

Vapour density: Not available.

0.83 - 0.89 Relative density: m

Solubility(ies): Impregnating fluid completely soluble / miscible with water. n

Partition coefficient: n-octanol

/ water:

Completely miscible with water.

Auto-ignition temperature: Not available

Not available. Decomposition temperature:

Water thin. Viscosity:

Explosive properties: Not available.

Oxidising properties: Not available.

9.2 Other information None available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Avoid sparks, flames, heat and sources of ignition.

10.2 **Chemical Stability** Stable under normal conditions. Will not decompose if stored and used as

recommended.

10.3 **Possibility** hazardous Strong acids and Strong bases. Strong oxidising agents. of

reactions

10.4 Conditions to avoid Heat, sparks and open flames. Do NOT allow to freeze.

10.5 Incompatible materials Strong acids and Strong bases. Strong oxidising agents.



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: **Probe Wipes**

Version 3 Version: Date: 23/03/2015 8 of 11

Supersedes: Version 2: dated 01/07/2014 Page:

10.6 Hazardous Burning produces irritating, toxic and obnoxious fumes.

products

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Based on available data the classification criteria are not met.

Skin corrosion / irritation Based on available data the classification criteria are not met.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin

sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity No mutagenic effects reported.

Carcinogenicity No carcinogenic effects reported.

Reproductive toxicity No teratogenic effects reported.

STOT-single exposure May cause drowsiness or dizziness.

Not classified as a specific target organ toxicant after repeated exposure. STOT-repeated exposure

Based on available data the classification criteria are not met. Aspiration hazard

11.1.4 **Toxicological Information**

degradability

Isopropanol Inhalation Rat LC50/4 h: 30 mg/l Oral Rat LD50: 5045 mg/kg

Dermal Rabbit LD50: 12800 mg/kg

Methanol Inhalation Rat LC50/4 h: 128.2 mg/l Oral Rat LD50: > 1187 mg/kg

Dermal Rabbit LD50: 17100 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

12.1 Based on the ingredients present and their concentrations this preparation is not **Toxicity**

expected to be hazardous to aquatic organisms.

12.2 Persistence and The surfactant(s) contained in this preparation complies (comply) with the

> biodegradability criteria as laid down in the Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct

request or at the request of a detergent manufacturer.

12.3 Bio accumulative potential No data available.



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Probe Wipes

Version: Version 3 Date: 23/03/2015 Supersedes: Version 2: dated 01/07/2014 Page: 9 of 11

12.4 Mobility in soil The product is soluble in water.

12.5 Results of PBT and vPvB The product does not contain any PBT or vPvB substances.

assessment

12.6 Other adverse effects Not known.

SECTION 13: DISPOSAL CONSIDERATION

13.1 Waste treatment methods Contact a licensed waste disposal company. Dispose of as special waste in

compliance with local and national regulations. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. Empty containers can be sent to landfill after cleaning, if in compliance with

local and national regulations.

SECTION 14: TRANSPORT INFORMATION

Hazard pictograms



14.1 UN number UN3175

14.2 UN proper shipping name FLAMMABLE LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID 3 Subsidiary Risk -

IMDG 3 Subsidiary Risk -

IATA 3

Subsidiary Risk -

14.4 Packing group II

14.5 Environmental hazards No

Marine Pollutant No

14.6 Special precautions for user Not applicable.



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Probe Wipes

 Version:
 Version 3
 Date: 23/03/2015

 Supersedes:
 Version 2: dated 01/07/2014
 Page: 10 of 11

14.7 Transport in bulk according No.

to Annex II of MARPOL 73 / 78 and the IBC Code

Not applicable.

ADR/RID

Hazard ID 33 Tunnel Category (D/E)

IMDG

EmS Code F-E S-E

IATA

Packaging Instruction (Cargo) 354
Maximum quantity 60 L
Packaging Instruction 353

(Passenger)

Maximum quantity 5 L

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Commission Directive 2000/39/EC of 8 June 2000 established a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Regulation, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.

15.2 Chemical safety assessment No assessment has been carried out.

SECTION 16: OTHER INFORMATION

Text of risk phrases in Section 3R11 - Highly flammable.
R36 - Irritating to eyes.

Text of Hazard Statements Flam. Liq. 2: H225 - Highly flammable liquid and vapour.



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010

Product: Probe Wipes

 Version:
 Version 3
 Date: 23/03/2015

 Supersedes:
 Version 2: dated 01/07/2014
 Page: 11 of 11

in Eye Irrit. 2: H319 - Causes serious eye irritation.

Section 3 STOT SE 3: H336 - May cause drowsiness or dizziness.

Glossary ADR European Agreement concerning the International Carriage of Dangerous

Goods by Road

IATA International Air Transport Association IMDG International Maritime Dangerous Goods

PBT Persistent, bio accumulative, toxic

RID Convention concerning International Carriage by Rail

vPvB very persistent, very bio accumulative STOT Specific Target Organ Toxicity WEL Workplace Exposure Limit.

General Information No relevant information available

Further Information The information supplied in this Safety Data Sheet is designed only as guidance for

the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy, reliability or completeness. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. It is the user's

responsibility to satisfy him/herself as to the suitability of such information for his /

her own particular use.