

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Tork Alcohol Foam Hand Sanitizer
Product code : 520101, 511104, 590101

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Biocide
Use of the substance/mixture : Skin cleansers
Function or use category : Main group 1: Disinfectants - PT 1 Human hygiene

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SCA HYGIENE PRODUCTS AB
Andreas Kiellarson
Bäckstensg 5
SE-405 03 GOTHENBURG
SWEDEN

1.4. Emergency telephone number

Emergency number : 112 (Emergency anti- poison centre - 24h)
08-331231 (Poison Information - less urgent cases – 24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225
Eye Dam. 1 H318

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11
Xi; R41

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

Not regarded as a health or environmental hazard under current legislation. Product does not present any health risks, when used as recommended.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour
H318 - Causes serious eye damage

Precautionary statements (CLP) :

P233 - Keep container tightly closed
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P370+P378 - In case of fire: Use ... to extinguish
P501 - Dispose of contents/container to ...
P102 - Keep out of reach of children
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Ethanol -	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	65	F; R11
Propan-1-ol	(CAS No) 71-23-8 (EC no) 200-746-9 (EC index no) 603-003-00-0 (REACH-no) to be provided	10	F; R11 Xi; R41 R67
Propan-2-ol -	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-211947558-25-XXXX	< 0,1	F; R11 Xi; R36 R67

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol -	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	65	Flam. Liq. 2, H225
Propan-1-ol	(CAS No) 71-23-8 (EC no) 200-746-9 (EC index no) 603-003-00-0 (REACH-no) to be provided	10	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336
Propan-2-ol -	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-211947558-25-XXXX	< 0,1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove victim to fresh air. In case of breathing difficulties administer oxygen. If breathing stops, give artificial respiration. If exposure symptoms persist, seek medical advice.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Never give anything by mouth to an unconscious person. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : No adverse health effects were noted.
- Symptoms/injuries after skin contact : No data available. None known.
- Symptoms/injuries after eye contact : May cause severe irritation.
- Symptoms/injuries after ingestion : On ingestion in large quantities : Nausea. Dizziness. Headaches.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Powder. Foam. Carbon dioxide (CO₂). dry chemical powder. Sand.
- Unsuitable extinguishing media : No data available.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Highly flammable.
- Explosion hazard : May form flammable/explosive vapour-air mixture.

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hazardous decomposition products in case of fire : Toxic gases and fumes may be released in a fire. carbon oxides (CO and CO₂).

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location.
Protective equipment for firefighters : Extra personal protection: complete protective clothing including self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.
Emergency procedures : Evacuate unnecessary personnel. Keep upwind.

6.1.2. For emergency responders

Protective equipment : Refer to section 8.
Emergency procedures : Keep upwind of the spilled material and isolate exposure. Eliminate all ignition sources if safe to do so. Eliminate leaks immediately.

6.2. Environmental precautions

Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

For containment : Ventilate affected area. Contain and/or absorb spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container.
Methods for cleaning up : Small spillages: wipe away or flush away with water. Large spills: Depending on the local regulations it may be disposed of as solid waste or incinerated in a suitable installation.

6.4. Reference to other sections

Refer to sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : In use, may form flammable vapour-air mixture. Residue may be flammable and explosive.
Precautions for safe handling : Use only in well-ventilated areas. Avoid contact with skin and eyes. If spilled, may cause the floor to be slippery. This material can accumulate static charge by flow or agitation and can be ignited by static discharge. In order to rule out potential electrostatic discharge production, the system must be adequately grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container closed when not in use. Do not re-use empty containers.
Hygiene measures : Handle in accordance with good industrial hygiene and safety practices. Do not eat, drink or smoke when using this product. Wash contaminated clothing prior to re-use. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in tightly closed, leak-proof containers. Avoid high temperatures. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol - (64-17-5)		
Austria	MAK (mg/m ³)	1900 mg/m ³
Austria	MAK (ppm)	1000 ppm
Austria	MAK Short time value (mg/m ³)	3800 mg/m ³
Austria	MAK Short time value (ppm)	2000 ppm
Belgium	Limit value (mg/m ³)	1907 mg/m ³
Belgium	Limit value (ppm)	1000 ppm
Bulgaria	OEL TWA (mg/m ³)	1000 mg/m ³
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1000 mg/m ³
Czech Republic	Expoziční limity (PEL) (ppm)	530 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	3000 mg/m ³
Czech Republic	Expoziční limity (NPK-P) (ppm)	1590 ppm
Denmark	Grænseværdie (langvarig) (mg/m ³)	1900 mg/m ³

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Ethanol - (64-17-5)		
Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm
Denmark	Grænseværdie (kortvarig) (mg/m ³)	3800 mg/m ³
Denmark	Grænseværdie (kortvarig) (ppm)	2000 ppm
Estonia	OEL TWA (mg/m ³)	1000 mg/m ³
Estonia	OEL TWA (ppm)	500 ppm
Estonia	OEL STEL (mg/m ³)	1900 mg/m ³
Estonia	OEL STEL (ppm)	1000 ppm
Finland	HTP-arvo (8h) (mg/m ³)	1900 mg/m ³
Finland	HTP-arvo (8h) (ppm)	1000 ppm
Finland	HTP-arvo (15 min)	2500 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	1300 ppm
France	VME (mg/m ³)	1900 mg/m ³
France	VME (ppm)	1000 ppm
France	VLE (mg/m ³)	9500 mg/m ³
France	VLE (ppm)	5000 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	960 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	500 ppm
Greece	OEL TWA (mg/m ³)	1900 mg/m ³
Greece	OEL TWA (ppm)	1000 ppm
Hungary	AK-érték	1900 mg/m ³
Hungary	CK-érték	7600 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	1900 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Ireland	OEL (15 min ref) (ppm)	1000 ppm
Latvia	OEL TWA (mg/m ³)	1000 mg/m ³
Lithuania	IPRV (mg/m ³)	1000 mg/m ³
Lithuania	IPRV (ppm)	500 ppm
Lithuania	TPRV (mg/m ³)	1900 mg/m ³
Lithuania	TPRV (ppm)	1000 ppm
Lithuania	NRV (mg/m ³)	1900 mg/m ³
Lithuania	NRV (ppm)	1000 ppm
Netherlands	Grenswaarde TGG 8H (mg/m ³)	260 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	1900 mg/m ³
Poland	NDS (mg/m ³)	1900 mg/m ³
Portugal	OEL TWA (ppm)	1000 ppm
Romania	OEL TWA (mg/m ³)	1900 mg/m ³
Romania	OEL TWA (ppm)	1000 ppm
Romania	OEL STEL (mg/m ³)	9500 mg/m ³
Romania	OEL STEL (ppm)	5000 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	960 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	500 ppm
Slovakia	NPHV (Hraničná) (mg/m ³)	1920 mg/m ³
Slovakia	Upozornenie (SK)	krátkodobý kategória II.
Slovenia	OEL TWA (mg/m ³)	1900 mg/m ³
Slovenia	OEL TWA (ppm)	1000 ppm
Slovenia	OEL STEL (mg/m ³)	7600 mg/m ³
Slovenia	OEL STEL (ppm)	4000 ppm
Spain	VLA-ED (mg/m ³)	1910 mg/m ³
Spain	VLA-ED (ppm)	1000 ppm
Spain	VLA-EC (mg/m ³)	1910 mg/m ³
Spain	VLA-EC (ppm)	1000 ppm

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Ethanol - (64-17-5)		
Sweden	nivågränsvärde (NVG) (mg/m ³)	1000 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	500 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	1900 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	1000 ppm
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m ³)	5760 mg/m ³ (calculated)
United Kingdom	WEL STEL (ppm)	3000 ppm (calculated)
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	950 mg/m ³
Norway	Gjennomsnittsverdier (AN) (ppm)	500 ppm
Norway	Gjennomsnittsverdier (Kortidsverdi) (mg/m ³)	1187,5 mg/m ³
Norway	Gjennomsnittsverdier (Kortidsverdi) (ppm)	625 ppm
Switzerland	Local name	Ethanoll (DE, FR); Etanolo (IT)
Switzerland	VME (mg/m ³)	960 mg/m ³
Switzerland	VME (ppm)	500 ppm
Switzerland	VLE (mg/m ³)	1920 mg/m ³
Switzerland	VLE (ppm)	1000 ppm
Switzerland	Remark (CH)	OELs Limit Values at the Workplace (SUVA 2014): TWA is: 500 ppm/960 mg/m ³ ; STEL is: 1000ppm/1920 mg/m ³ . SUVA Codes: Group C (The fetus will not be harmed if the MAK value is complied with).
Australia	TWA (mg/m ³)	1920 mg/m ³
Australia	TWA (ppm)	1000 ppm
Canada (Quebec)	VEMP (mg/m ³)	1880 mg/m ³
Canada (Quebec)	VEMP (ppm)	1000 ppm
USA - ACGIH	ACGIH TWA (mg/m ³)	1884 mg/m ³
USA - ACGIH	ACGIH TWA (ppm)	1000 ppm
USA - ACGIH	ACGIH STEL (ppm)	1000 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	1900 mg/m ³
USA - NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
USA - OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
Propan-1-ol (71-23-8)		
Austria	MAK (mg/m ³)	500 mg/m ³
Austria	MAK (ppm)	200 ppm
Belgium	Limit value (mg/m ³)	250 mg/m ³
Belgium	Limit value (ppm)	100 ppm
Bulgaria	OEL TWA (mg/m ³)	300,0 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	500,0 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	500 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	200 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	625 mg/m ³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	250 ppm
Czech Republic	Expoziční limity (PEL) (mg/m ³)	500 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	500 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	200 ppm
Estonia	OEL TWA (mg/m ³)	350 mg/m ³ (all isomers)
Estonia	OEL TWA (ppm)	150 ppm (all isomers)
Estonia	OEL STEL (mg/m ³)	600 mg/m ³ (all isomers)
Estonia	OEL STEL (ppm)	250 ppm (all isomers)
Finland	HTP-arvo (8h) (mg/m ³)	500 mg/m ³
Finland	HTP-arvo (8h) (ppm)	200 ppm

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Propan-1-ol (71-23-8)		
Finland	HTP-arvo (15 min)	620 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	250 ppm
France	VME (mg/m ³)	500 mg/m ³
France	VME (ppm)	200 ppm
Greece	OEL TWA (mg/m ³)	500 mg/m ³
Greece	OEL TWA (ppm)	200 ppm
Greece	OEL STEL (mg/m ³)	625 mg/m ³
Greece	OEL STEL (ppm)	250 ppm
Ireland	OEL (8 hours ref) (ppm)	100 ppm
Latvia	OEL TWA (mg/m ³)	10 mg/m ³
Poland	NDS (mg/m ³)	200 mg/m ³
Poland	NDSCh (mg/m ³)	600 mg/m ³
Portugal	OEL TWA (ppm)	200 ppm
Portugal	OEL STEL (ppm)	400 ppm
Romania	OEL TWA (mg/m ³)	200 mg/m ³
Romania	OEL TWA (ppm)	81 ppm
Romania	OEL STEL (mg/m ³)	500 mg/m ³
Romania	OEL STEL (ppm)	203 ppm
Spain	VLA-ED (mg/m ³)	500 mg/m ³ (it is prohibited the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound)
Spain	VLA-ED (ppm)	200 ppm (it is prohibited the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound)
Spain	VLA-EC (mg/m ³)	1000 mg/m ³
Spain	VLA-EC (ppm)	400 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	350 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	150 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	600 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	250 ppm
United Kingdom	WEL TWA (mg/m ³)	500 mg/m ³
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m ³)	625 mg/m ³
United Kingdom	WEL STEL (ppm)	250 ppm
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	245 mg/m ³
Norway	Gjennomsnittsverdier (AN) (ppm)	100 ppm
Norway	Gjennomsnittsverdier (Korttidsverdi) (mg/m ³)	306,25 mg/m ³
Norway	Gjennomsnittsverdier (Korttidsverdi) (ppm)	150 ppm
Switzerland	VME (mg/m ³)	500 mg/m ³
Switzerland	VME (ppm)	200 ppm
Australia	TWA (mg/m ³)	492 mg/m ³
Australia	TWA (ppm)	200 ppm
Australia	STEL (mg/m ³)	614 mg/m ³
Australia	STEL (ppm)	250 ppm
Canada (Quebec)	VECD (mg/m ³)	614 mg/m ³
Canada (Quebec)	VECD (ppm)	250 ppm
Canada (Quebec)	VEMP (mg/m ³)	492 mg/m ³
Canada (Quebec)	VEMP (ppm)	200 ppm
USA - ACGIH	ACGIH TWA (ppm)	100 ppm
USA - IDLH	US IDLH (ppm)	800 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	500 mg/m ³
USA - NIOSH	NIOSH REL (TWA) (ppm)	200 ppm
USA - NIOSH	NIOSH REL (STEL) (mg/m ³)	625 mg/m ³
USA - NIOSH	NIOSH REL (STEL) (ppm)	250 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	500 mg/m ³

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Propan-1-ol (71-23-8)		
USA - OSHA	OSHA PEL (TWA) (ppm)	200 ppm
Propan-2-ol - (67-63-0)		
Austria	MAK (mg/m ³)	500 mg/m ³
Austria	MAK (ppm)	200 ppm
Austria	MAK Short time value (mg/m ³)	2000 mg/m ³ max. 4x15 min./Schicht
Austria	MAK Short time value (ppm)	800 ppm max. 4x15 min./Schicht
Belgium	Limit value (mg/m ³)	997 mg/m ³
Belgium	Limit value (ppm)	400 ppm
Belgium	Short time value (mg/m ³)	1248 mg/m ³
Belgium	Short time value (ppm)	500 ppm
Bulgaria	OEL TWA (mg/m ³)	980 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	1225 mg/m ³
Cyprus	OEL TWA (mg/m ³)	980 mg/m ³
Cyprus	OEL TWA (ppm)	400 ppm
Czech Republic	Expoziční limity (PEL) (mg/m ³)	500 mg/m ³
Czech Republic	Expoziční limity (PEL) (ppm)	203,5 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	1000 mg/m ³
Czech Republic	Expoziční limity (NPK-P) (ppm)	407 ppm
Czech Republic	Remark (CZ)	D
Denmark	Grænseværdie (langvarig) (mg/m ³)	490 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	200 ppm
Denmark	Grænseværdie (kortvarig) (mg/m ³)	980 mg/m ³
Denmark	Grænseværdie (kortvarig) (ppm)	400 ppm
Estonia	OEL TWA (mg/m ³)	350 mg/m ³
Estonia	OEL TWA (ppm)	150 ppm
Estonia	OEL STEL (mg/m ³)	600 mg/m ³
Estonia	OEL STEL (ppm)	250 ppm
Finland	HTP-arvo (8h) (mg/m ³)	500 mg/m ³
Finland	HTP-arvo (8h) (ppm)	200 ppm
Finland	HTP-arvo (15 min)	620 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	250 ppm
France	VLE (mg/m ³)	980 mg/m ³
France	VLE (ppm)	400 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	500 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	200 ppm
Germany	TRGS 903 (BGW)	50 mg/l Aceton (Blut; Expositionsende bzw. Schichtende)
Greece	OEL TWA (mg/m ³)	980 mg/m ³
Greece	OEL TWA (ppm)	400 ppm
Greece	OEL STEL (mg/m ³)	1225 mg/m ³
Greece	OEL STEL (ppm)	500 ppm
Hungary	AK-érték	500 mg/m ³
Hungary	CK-érték	2000 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	400 ppm
Ireland	Notes (IE)	Sk
Latvia	OEL TWA (mg/m ³)	350 mg/m ³
Lithuania	IPRV (mg/m ³)	350 mg/m ³
Lithuania	IPRV (ppm)	150 ppm
Lithuania	TPRV (mg/m ³)	600 mg/m ³
Lithuania	TPRV (ppm)	250 ppm
Netherlands	Grenswaarde TGG 8H (mg/m ³)	650 mg/m ³

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Propan-2-ol - (67-63-0)		
Netherlands	Grenswaarde TGG 8H (ppm)	250 ppm
Poland	NDS (mg/m ³)	900 mg/m ³
Poland	NDSch (mg/m ³)	1200 mg/m ³
Romania	OEL TWA (mg/m ³)	200 mg/m ³
Romania	OEL TWA (ppm)	81 ppm
Romania	OEL STEL (mg/m ³)	500 mg/m ³
Romania	OEL STEL (ppm)	203 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	500 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	200 ppm
Slovakia	Upozornenie (SK)	krátkodobý kategória II.
Slovenia	OEL TWA (mg/m ³)	500 mg/m ³
Slovenia	OEL TWA (ppm)	200 ppm
Spain	VLA-ED (mg/m ³)	998 mg/m ³
Spain	VLA-ED (ppm)	400 ppm
Spain	VLA-EC (mg/m ³)	1250 mg/m ³
Spain	VLA-EC (ppm)	500 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	350 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	150 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	600 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	250 ppm
United Kingdom	WEL TWA (mg/m ³)	999 mg/m ³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³
United Kingdom	WEL STEL (ppm)	500 ppm
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	245 mg/m ³
Norway	Gjennomsnittsverdier (AN) (ppm)	100 ppm
Switzerland	Local name	2-Propanol (DE, FR); Propan-2-olo (IT)
Switzerland	VME (mg/m ³)	500 mg/m ³
Switzerland	VME (ppm)	200 ppm
Switzerland	VLE (mg/m ³)	1000 mg/m ³ max. 4x15 min./Schicht
Switzerland	VLE (ppm)	400 ppm max. 4x15 min./Schicht
Switzerland	Remark (CH)	OELs Limit Values at the Workplace (SUVA 2014): TWA is: 200 ppm/500 mg/m ³ ; STEL is: 400ppm/1000 mg/m ³ . SUVA Codes: Group C (The fetus will not be harmed if the MAK value is complied with). BELs/BAT Biological Limit Values in the Workplace (SUVA 2014): Specimen U,B - Sampling Time: b - Value: 25 mg/L, 0,4 mmol/L
USA - ACGIH	ACGIH TWA (mg/m ³)	490 mg/m ³
USA - ACGIH	ACGIH TWA (ppm)	200 ppm
USA - ACGIH	ACGIH STEL (mg/m ³)	960 mg/m ³
USA - ACGIH	ACGIH STEL (ppm)	400 ppm

8.2. Exposure controls

Appropriate engineering controls : not applicable.
 Personal protective equipment : Protective goggles.



Hand protection : Not necessary under the recommended storage and handling conditions.
 Eye protection : Not required for normal conditions of use. Where contact with eyes or skin is likely, wear suitable protection.
 Respiratory protection : Approved organic vapour respirator.
 Environmental exposure controls : not applicable.

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Colour	: colourless to yellow.
odour	: alcohol odour.
Odour threshold	: No data available
pH	: ~ 5,5
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 78,6 °C at 97.8 kPa
Flash point	: 20 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0,845 - 0,854 g/cm ³
Solubility	: soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

Other properties : Flammable liquid. Foam.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Do not expose to heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified
The mixture classification has been derived from the classification of the single components.
Not known or expected to be harmful to health in normal use.

Ethanol - (64-17-5)	
LD50 oral rat	10470 mg/kg
LC50 inhalation rat (mg/l)	117 - 125 mg/l
Propan-1-ol (71-23-8)	
LD50 oral rat	1870 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 33,8 mg/l/4h

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Propan-2-ol - (67-63-0)	
LC50 inhalation rat (ppm)	> 10000 ppm
Skin corrosion/irritation	: Not classified Not irritating pH: ~ 5,5
Serious eye damage/irritation	: Causes serious eye damage. pH: ~ 5,5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Ecological problems are not known or expected under normal use.

Ethanol - (64-17-5)	
LC50 fishes 1	> 14200 mg/l 96 hours
EC50 Daphnia 1	5012 mg/l 48 hours
EC50 Daphnia 2	454 mg/l 9 days
ErC50 (algae)	275 mg/l
ErC50 (other aquatic plants)	4432 mg/l
NOEC (acute)	9,6 mg/l 9 days

Propan-1-ol (71-23-8)	
LC50 fishes 1	4480
EC50 Daphnia 1	3644

Propan-2-ol - (67-63-0)	
EC50 Daphnia 1	> 10000 mg/l 24 hours

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Propan-2-ol - (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ethanol - (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propan-1-ol (71-23-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose of contents/container to comply with applicable local, national and international regulations.

Additional information : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. : 1987

14.2. UN proper shipping name

Proper Shipping Name : ALCOHOLS, N.O.S.

14.3. Transport hazard class(es)

Transport hazard class(es) (ADR) : 3

Hazard labels (ADR) : 3



14.4. Packing group

Packing group : II

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

14.6.1. Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 274, 601, 640C

Limited quantities (ADR) : 1L

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 33

Orange plates :



Tunnel restriction code (ADR) : D/E

EAC code : •3YE

14.6.2. Transport by sea

Special provisions (IMDG) : 274

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

EmS-No (IMDG) : F-E, S-D

14.6.3. Air transport

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y341

PCA packing instructions (IATA) : 353

CAO packing instructions (IATA) : 364

14.6.4. Inland waterway transport

Transport regulations (ADN) : Subject to the provisions

Dangers (ADN) : 3+(N1, N2, N3, CMR, F or S)

14.6.5. Rail transport

Classification code (RID) : F1

Special provision (RID) : 274, 601, 640C

Limited quantities (RID) : 1L

TORK Alcohol Foam Hand Sanitizer

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Excepted quantities (RID) : E2
Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Contains no substance on the REACH candidate list

15.1.2. National regulations

Germany

Water hazard class (WGK) : nwg - non-hazardous to water
WGK remark : No water pollutant (Classification based on the R-phrases in compliance with Verwaltungsvorschrift wassergefährdender)
Storage class (LGK) : LGK 3A - Flammable liquid materials (Flashpoint < 55 °C)
VbF class : A I - Liquids with a flashpoint below 21°C

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Sources of Key data : MSDS.
Abbreviations and acronyms : ACGIH (American Conference of Government Industrial Hygienists). ASTM - American Society for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling and Packaging. CSR - Chemical Safety Report. EC - European Community. EEC - European Economic Community. GHS - Globally Harmonised System. HCS - Hazard Communication Standard. MSDS - Material Safety Data Sheet. REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals. Overland transport (ADR). SDS - Safety Data Sheet . PVC (Polyvinyl chloride).

Full text of R-, H- and EUH-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	flammable liquids Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapour
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
R11	Highly flammable
R36	Irritating to eyes
R41	Risk of serious damage to eyes
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
Xi	Irritant

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product